Smelay Lake

SMOKY LAKE COUNTY

Title : Playgrounds and Parks Safety Policy	Policy No.:	02-01
Section: 07	Page No.:	1 of 6

Legislation Reference:	Alberta Provincial Statutes

Purpose:

The development, maintenance and operation of playground spaces and parks are essential to sustain and maintain quality, clean and use recreational services for all County residents. The operation and maintenance of playgrounds and parks is necessary by legal and ethical standards.

Policy Statement and Guidelines:

1. MANDATE

- 1.1 To foster and operate all playgrounds and parks under the control of Smoky Lake County in compliance with the suggested safety guidelines and to create educationally and environmentally sound play space facilities for children and adults.
- 1.2 Smoky Lake County's Parks and Recreation Department will continue to maintain recreational resources and make recommendations for repairs, removal, development and installation of play apparatus. Every reasonable attempt will be made to eliminate playground hazards while recognizing the element of risk which is an inherent part of any successful child's play and learning environment.
- 1.3 Inventory of playground equipment of all sites and spaces monitored will offer a means of tracking development, improvements, repairs, and incidents; as well as routine maintenance.

2. GUIDELINES

- 2.1 By May 15th, all municipal playground structures, play apparatus and parks spaces will receive a full inspection audit by staff personnel of the Parks and Recreation Department, in accordance with the **Canadian Standard Association Playground Standards Guidelines**. Inspections will be monitored as per *Schedule "A": Annual Playground Inspection* to secure and make safe all equipment and land for Spring/Summer use.
- 2.2 The personnel inspecting the playgrounds and parks is responsible for the removal of any and all refuse, including the emptying all garbage containers on site on a monthly basis from June to September *Schedule* "B": *Playground Cleaning and Safety Checklist*.

Title : Playgrounds and Parks Safety Policy	Policy No.:	02-01
Section: 07	Page No.:	2 of 6

Policy Statement and Guidelines: 2.3 The personnel inspecting the playgrounds and parks are responsible to report to the Parks and Recreation Manager any necessary maintenance for completion. 2.4 All play equipment shall be installed according to manufacturer specifications. The County shall budget funds every year to maintain existing 2.5 playgrounds and provide reasonable resources to ensure timely inspections and repairs to be in compliance with the current standard of care. 2.6 The Parks and Recreation Manager shall review public concerns regarding these spaces and carry out any additional inspections deemed necessary. 2.7 An annual report will be completed by October 30th by the Parks and Recreation Department which will review all work in the playgrounds and parks, which in turn will be used in yearly budgeting and addressing liability concerns.

	Date	Resolution Number	
Approved	May 15, 2008	# 493-08 - Page # 8677	
Amended		# -	
Amended			

Section 07 Policy 02-01



SCHEDULE "A"

ANNUAL PLAYGROUND INSPECTION

Playg	round Location:		
Date of	of Inspection:		
Insped	cted By:		
	•		
Refer t	to Canadian Standards Association (C.S.A.) Star	idards Z614	- "Canadian Playspaces and Equipment".
Chains	;		afety Railing, Support Bars/Legs,
	Check for bent/worn/open links, pinch points, rust	Steps &	& Fastening Points
	or any rough edges.		Check for splitting, splinters or protruding bolts or nails.
	Action Taken or Comments:		Check that welds, bolts and nuts are secure.
			Check that entrances or openings are blocked off it the equipment is under repair.
.			Action Taken or Comments:
S-Hook	(S		
	Check for excessive wear, and that they are property closed.		
	Action Taken or Comments:	Stairs o	of Slides
			Check all platforms and steps for safety. Check that welds of steel joints, and bolts are secure.
Seats			Action Taken or Comments:
	Check rubber seats for wear, sharp edges/points, scorching, burn or damage.		
	Safety bars on baby seats should be intact.		
	Check tires for wear and cracks and ensure all fastening points are secure.		
	Action Taken or Comments:	Hanger	Bearings
	Addition of Commonts.		Check for worn or excessive play in
			bearings/bushings. Check for unlubricated nuts, bolts, grease fittings.
			Check for corroded bolts and rivets.
Sidewa	alls Bedway	 	Check that clamps are secure.
	Check for protruding bolts or rivet heads, and missing or loose bolt welds.		Action Taken or Comments:
	Check for rust or corrosion, metal fatigue, and rough, sharp edges.		
	Action Taken or Comments:		
			Page 1 of 3.

Grease	e Fittings	Spring and Bar
	Check for unlubricated moving parts. Check for excess oil or grease. Action Taken or Comments:	Check for loose spring mounts, or broken springs. Check for stability in ground, tilting, exposed concrete, or footings. Check for missing protective pieces; ensure hand support bars are in place and secure. Action Taken or Comments:
Stabili	ty in Ground	
	Structures should not be easily swayed. Connections should be solid and adequately secured. Posts (wood and steel) should not be rotting or corroded. Action Taken or Comments:	Handles Handles should be securely fastened and not able to slide back and forth. Check welds, bolts, etc.; there should be no sharp points, bending/warping/unevenness. Check for missing protective caps. Action Taken or Comments:
Entrap	All angles, joining points or openings should be less than 75 mm or greater than 250 mm to	
	reduce the chance of head entrapments, Check for any points, crush, or sheer points than could cause injury. Action Taken or Comments:	End/Centre Fittings Check that nuts, bolts or clamps and fittings are secure. Check for sharp-edges, cracked, or broken fittings. Action Taken or Comments:
Tube S	Slides	
	Check for cracks, sharp edges, discolouration, scorching, burning, abrasion or wear. Ensure proper fastening. Action Taken or Comments:	Chain Covers Check for damaged covers and any visible signs of wear on swing chains. Action Taken or Comments:
Tilting		
	Check units for signs of tilting and/or sinking. Check alignment of major support posts/beams, platforms, fire poles, steps, etc. Action Taken or Comments:	Page 2 of 3.

Locking Devices and	Fencing
Interior/External, Wood Checking	Inspect for any visible damage Check for any protruding points and hardware
Locking devices, Interior and exterior, should be secure.	(bolts, nuts, etc).
Check all wood timbers for major cracking: note cracks exceeding 19 mm in width.	Action Taken or Comments:
Action Taken or Comments:	
	Ground Clearance and Surface Below Equipment
Pivot Points – Nuts and Bolts	Make sure depressions at and around all equipment are filled with proper material.
Test pivot points for free movement; check swivels/bearing points for wear.	Check that concrete footings are not exposed. Ensure all equipment is properly placed away from other equipment and traffic patterns.
Check for loose, worn, rusted/corroded hardware.	Action Taken or Comments:
Action Taken or Comments:	
	Protrusions, Protective Caps/Plugs
Lighting, signs	Check for protruding bars, bolts, and nuts, etc.
Check for visible weathering or damage of signs. Check for inadequate or inoperative lighting.	Check for sharp edges. Check that all open-ended pipes are covered with intact plastic plugs. Check tires for protrusions
Action Taken or Comments:	Action Taken or Comments:
Wooden Borders, benches	
Check for splinters.	Debris, Broken Glass
Check for decaying wood Check wood for any excessive cracks, welds on seating, insecure fittings.	Check play area for debris and broken glass at animal feces.
Check the condition of paint/stains. Look for graffiti, vandalism.	Check sandboxes for glass, animal feces, etc. Action Taken or Comments:
Action Taken or Comments:	
Asphalt Paths	
Check for any visible damage of poor drainage.	
Action Taken or Comments:	Page 3 of 3.

Section 07 Policy 02-01



SCHEDULE "B"

PLAYGROUND CLEANING AND SAFETY CHECKLIST

, ,	ground Location:			
Date of Inspection:				
inspe	ected By:			
	ITEM	ACTION TAKEN OR COMMENT		
	Check playground is free of any debris, glass, discarded metal, or any other garbage of foreign objects.			
	Check sand boxes for any foreign material.			
	Playground must have clear visibility from all access areas.			
	Broken swings, bars, boards or any other broken pieces of equipment.			
	Check for sharp points and edges in equipment.			
	Make sure surfaces around playground equipment have suitable material such as wood chips, mulch, sand, or pea gravel, or have mats made of safety tested rubber or rubber like materials.			
	Check that protective surfacing extends at least 6 feet in all directions from play equipment. For swings, be sure surfacing extends, in back and front twice the height for the suspending bar.			
	Make sure play structures more than 30 inches high are spaced at least 9 feet apart.			
	Check for dangerous hardware, like open "S" hooks or protruding bolt ends.			
	Make sure spaces that could trap children, such as openings in guardrails or between ladder rings, measure less than 3.5 inches or more than 9 inches.			
	Check for tripping hazards, like exposed concrete footings, tree stumps and rocks.			
	Make sure elevated surfaces, like platforms and ramps have guardrails to prevent falls.			
	Check playgrounds to see that equipment and surfacing are in good condition.			